



ENOX



STAINLESS STEEL FITTINGS 304





- ① Precision CNC Equipment
- ② ③ CNC Lathe
- ④ Numerical Control Full-automatic Dewaxing
- ⑤ Material Analysis by Spectrometer
- ⑥ Pressure Test
- ⑦ Wax Injection Machine




ENOX Stainless Steel Screwed Fittings 150lbs 304

Thread: BSPT




ENOX EQUAL ELBOW 90°



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	
1/4"	8	300	19	
3/8"	10	300	22.5	
1/2"	15	150	27	
3/4"	20	100	30.8	
1"	25	50	36.8	
1-1/4"	32	25	42	
1-1/2"	40	20	47	
2"	50	15	56	
2-1/2"	65	8	68	
3"	80	4	77.5	
4"	100	2	94.5	




ENOX STREET ELBOW



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	B
1/4"	8	300	19	27
3/8"	10	250	23	29
1/2"	15	180	27.5	37.5
3/4"	20	100	32.5	39
1"	25	50	38	46
1-1/4"	32	25	45	59
1-1/2"	40	20	48	57
2"	50	10	57	74
2-1/2"	65	5	67.5	87
3"	80	4	77	98
4"	100	2	96	108



ENOX ELBOW 45°



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	
1/4"	8	300	17	
3/8"	10	250	19	
1/2"	15	200	21	
3/4"	20	100	25	
1"	25	60	29	
1-1/4"	32	25	33	
1-1/2"	40	20	37	
2"	50	15	42	
2-1/2"	65	8	49	
3"	80	4	54	
4"	100	2	64	




ENOX LOCK NUT



Size		No/Ctn	Dimentions (mm)	
Inch	mm		D	H
1/4"	8	1000	20.96	6.14
3/8"	10	1000	26	7.16
1/2"	15	500	30.99	8
3/4"	20	300	35	9.2
1"	25	200	44.94	10
1 1/4"	32	150	54	11.2
1 1/2"	40	100	58.85	11.88
2"	50	100	74	13.2
2 1/2"	65	50	93.4	15.96
3"	80	30	106.2	19.1
4"	100	10	133.9	23.22



ENOX EQUAL TEE



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	
1/4"	8	200	19	
3/8"	10	200	22.5	
1/2"	15	100	27	
3/4"	20	50	31.5	
1"	25	35	35.5	
1-1/4"	32	25	43	
1-1/2"	40	20	48	
2"	50	10	56	
2-1/2"	65	5	67.5	
3"	80	4	77.5	
4"	100	2	92.5	



ENOX EQUAL SOCKET



size		No/Ctn	Dimentions (mm)	
Inch	mm		B	H
1/4"	8	350	17.5	25
3/8"	10	300	20.8	30
1/2"	15	250	27.5	34.5
3/4"	20	150	32.7	38.9
1"	25	80	40.5	43.6
1-1/4"	32	50	49.5	50
1-1/2"	40	48	56	53.5
2"	50	20	67.5	62.5
2-1/2"	65	12	82.8	71.4
3"	80	10	97	76.5
4"	100	4	123	86.5

ENOX Stainless Steel Screwed Fittings 150lbs 304

Thread: BSPT




ENOX HALF SOCKET PLAIN



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	
1/4"	8	800	11	
3/8"	10	500	11.5	
1/2"	15	350	15	
3/4"	20	250	16.5	
1"	25	150	19.5	
1-1/4"	32	80	21.5	
1-1/2"	40	80	21.5	
2"	50	30	26	
2-1/2"	65	15	30.5	
3"	80	12	33.5	
4"	100	6	39.5	




ENOX CROSS TEE



size		No/Ctn	Dimentions (mm)	
Inch	mm		A	
1/4"	8	200	19	
3/8"	10	200	23	
1/2"	15	75	27	
3/4"	20	50	31.5	
1"	25	30	36	
1-1/4"	32	20	43	
1-1/2"	40	15	48	
2"	50	10	57	
2-1/2"	65	4	69	
3"	80	2	78	
4"	100	2	96	




ENOX UNION



size		No/Ctn	Dimentions (mm)	
Inch	mm		L	N
1/4"	8	100	30	14
3/8"	10	100	34.5	15.5
1/2"	15	100	38	16
3/4"	20	80	43	18
1"	25	50	48	19
1-1/4"	32	30	53.5	22
1-1/2"	40	20	56	24
2"	50	12	65.5	26
2-1/2"	65	8	75.5	29.5
3"	80	5	81	31
4"	100	2	96.5	34




ENOX ROUND CAP



size		No/Ctn	Dimentions (mm)	
Inch	mm		L	
1/4"	8	600	15.5	
3/8"	10	500	16.5	
1/2"	15	400	20	
3/4"	20	300	22	
1"	25	150	26	
1-1/4"	32	100	28	
1-1/2"	40	60	32	
2"	50	50	33.5	
2-1/2"	65	25	39	
3"	80	16	42	
4"	100	10	48.5	




ENOX SQUARE PLUG



size		No/Ctn	Dimentions (mm)	
Inch	mm		L	M
1/4"	8	1000	9.5	6.4
3/8"	10	600	10	6
1/2"	15	500	13.5	9
3/4"	20	500	14	10.5
1"	25	250	17	10.5
1-1/4"	32	50	18	11
1-1/2"	40	50	19	11
2"	50	50	22	13
2-1/2"	65	30	26.5	12
3"	80	20	27	15
4"	100	10	35.5	20



ENOX HEX PLUG




size		No/Ctn	Dimentions (mm)	
Inch	mm		L	M
1/4"	8	500	10.5	5.5
3/8"	10	400	11	5.5
1/2"	15	300	17	7
3/4"	20	250	17.5	8
1"	25	150	20	8.5
1-1/4"	32	100	20.5	8.5
1-1/2"	40	50	20.5	9.5
2"	50	30	26	9
2-1/2"	65	25	30	10
3"	80	15	33	11
4"	100	8	36	12.5

ENOX Stainless Steel Screwed Fittings 150lbs 304

Thread: BSPT




ENOX HEX NIPPLE



size		No/Ctn	Dimentions (mm)	
Inch	mm		L	M
1/4"	8	1000	13	6
3/8"	10	500	15	6.5
1/2"	15	250	16.5	10
3/4"	20	160	18.5	8
1"	25	100	18.5	11
1-1/4"	32	50	20.5	12
1-1/2"	40	40	22.5	10.5
2"	50	24	25.5	13
2-1/2"	65	16	31	14
3"	80	10	33	14
4"	100	4	36	14



ENOX SOCKET M/F



size		No/Ctn	Dimentions (mm)			
Inch	mm		A	B	C	D
1/2	15	250	16.5	18.5	27	15
3/4	20	150	19	25	32	20
1	25	80	21	23.5	40	26
1 1/4	32	50	21	25	49.5	34
1 1/2	40	48	24	29.5	56	40
2	50	20	25.5	32	68	50.5



ENOX HOSE NIPPLE



size		No/Ctn	Dimentions (mm)										
Inch	mm		A	B	C	J	E	F	G	H	I	K	
1/4	8	500	7.5	9	7	23	12.8	42	5	8.3	5	14.6	
3/8	10	300	8.5	10	7.5	25	15	47.8	7	10.7	6.5	19	
1/2	15	250	13	15	8	35	17	60.5	10	14.5	9.7	22.7	
3/4	20	100	19	20.5	10	42.5	18	70	15.3	20	15	28.6	
1	25	70	25	27	12	52	19	82	20	25.6	20	35.6	
1 1/4	22	35	32	34	12	51	20.5	82.9	27.5	34.1	27.5	44.5	
1 1/2	40	30	38.5	40	13	57	21.5	90.4	33	40.3	33	50.6	
2	50	15	50.6	52.3	15.5	69.5	25.5	108	45.1	51.3	45	62.6	
2 1/2	65	8	63.5	65.5	20	87	30	132	58.5	64	58	77.7	
3	80	5	75.5	78	23.5	97	33	145	70.4	77.8	69.9	91.5	
4	100	2	101.5	103.5	24	104	36	154.3	95.4	102.5	95.5	117.5	




ENOX UNION M/F



size		No/Ctn	Dimentions (mm)				
Inch	mm		A	B	C	D	E
1/4	8	75	30	13.5	17	31	13.5
3/8	10	60	33.5	15.5	22	35	14
1/2	15	60	38.5	16.5	25.5	37	17.5
3/4	20	50	41	18	31	46.2	19.5
1	25	30	47.5	19	38	52.5	21.5
1 1/4	32	20	52.5	22.5	48	64.5	23.8
1 1/2	40	12	56	24	54	72	23.8
2	50	8	66	26	66	87.5	27
2 1/2	65	4	75	29	82	108	27
3	80	2	83	31	95	116	30



ENOX REDUCING TEE




size		No/Ctn	Dimentions (mm)	
Inch	mm		A	B
1/4"x1/8"	8x6	200	18	18
3/8"x1/4"	10x8	200	20	22
1/2"x1/4"	15x8	100	24	22
1/2"x3/8"	15x10	100	24	26
3/4"x3/8"	20x10	75	28	28
1/2"x3/4"	15x20	50	29	30
1/2"x1"	15x25	45	32	33
3/4"x1"	20x25	45	34	35
1-1/4"x3/4"	32x20	30	35.5	40
1-1/4"x1"	32x25	30	40	42
1-1/2"x1"	40x25	24	41	45
1-1/2"x1-1/4"	40x32	20	46	46
2"x1-1/4"	50x32	12	46	54
2"x1-1/2"	50x40	12	49	55
2-1/2"x1-1/2"	65x40	5	55	62
2-1/2"x2"	65x50	5	60	65
3"x2"	80x50	4	63	77
3"x2-1/2"	80x65	4	72	75
4"x2-1/2"	100x65	2	78	90
4"x3"	100x80	2	83	91

ENOX Stainless Steel Screwed Fittings 150lbs 304


Thread: BSPT



ENOX REDUCING ELBOW



ENOX REDUCING NIPPLE



size		No/Ctn	Dimensions (mm)	
Inch	mm		A	B
1/4"x1/8"	8x6	300	18	18
3/8"x1/4"	10x8	300	20	22
1/2"x1/4"	15x8	200	22	24
1/2"x3/8"	15x10	150	25	25
3/4"x3/8"	20x10	120	28	28
1/2"x3/4"	15x20	120	29	30
1/2"x1"	15x25	80	32	33
3/4"x1"	20x25	70	34	35
1-1/4"x3/4"	32x20	50	36.5	40
1-1/4"x1"	32x25	40	40	42
1-1/2"x1"	40x25	30	41	45
1-1/2"x1-1/4"	40x32	30	46	46
2"x1-1/4"	50x32	15	45	52
2"x1-1/2"	50x40	15	49	56
2-1/2"x1-1/2"	65x40	8	55	62
2-1/2"x2"	65x50	8	60	65
3"x2"	80x50	4	62	72
3"x2-1/2"	80x65	4	72	75
4"x2-1/2"	100x65	2	78	90
4"x3"	100x80	2	83	91

size		No/Ctn	Dimensions (mm)		
Inch	mm		L1	L2	M
1/4"x1/8"	8x6	400	13	11	6
3/8"x1/4"	10x8	300	15	13	7
1/2"x1/4"	15x8	250	17	14	8
1/2"x3/8"	15x10	250	17	14	10
3/4"x3/8"	20x10	200	18	15	9
1/2"x3/4"	15x20	200	18	17	8.5
1/2"x1"	15x25	100	18.5	17	11.5
3/4"x1"	20x25	100	18.5	18	11.5
1-1/4"x3/4"	32x20	50	21	18	12
1-1/4"x1"	32x25	50	21	19.5	11.5
1-1/2"x1"	40x25	50	22	19	12
1-1/2"x1-1/4"	40x32	40	22	21	12
2"x1-1/4"	50x32	25	26	21.5	13
2"x1-1/2"	50x40	25	26	22	12.5
2-1/2"x1-1/2"	65x40	20	30.5	22	14
2-1/2"x2"	65x50	20	30.5	26	14
3"x2"	80x50	10	33	26	14
3"x2-1/2"	80x65	10	33	30.5	14
4"x2-1/2"	100x65	4	36	30.5	14
4"x3"	100x80	4	36	33	14


ENOX

Stainless Steel Screwed Fittings 150lbs 304


Thread: BSPT



ENOX REDUCING SOCKET



ENOX HEX BUSHING



size		No/Ctn	Dimentions (mm)	
Inch	mm		L	
1/4"x1/8"	8x6	500	25	
3/8"x1/4"	10x8	300	26	
1/2"x1/4"	15x8	250	34	
1/2"x3/8"	15x10	250	34	
3/4"x3/8"	20x10	150	36	
1/2"x3/4"	15x20	150	36	
1/2"x1"	15x25	100	40.5	
3/4"x1"	20x25	100	42	
1-1/4"x3/4"	32x20	50	44	
1-1/4"x1"	32x25	50	44.5	
1-1/2"x1"	40x25	50	46.5	
1-1/2"x1-1/4"	40x32	40	49.5	
2"x1-1/4"	50x32	20	50	
2"x1-1/2"	50x40	20	50	
2-1/2"x1-1/2"	65x40	12	57	
2-1/2"x2"	65x50	12	60	
3x2	80x50	10	63.5	
3x2-1/2	80x65	8	72	
4"x2-1/2"	100x65	4	94	
4x3	100x80	4	94	

size		No/Ctn	Dimentions (mm)	
Inch	mm		L	M
1/4"x1/8"	8x6	800	12	6.5
3/8"x1/4"	10x8	600	14	6.5
1/2"x1/4"	15x8	500	16.5	7.5
1/2"x3/8"	15x10	500	17	7
3/4"x3/8"	20x10	300	18	8
1/2"x3/4"	15x20	300	18	8
1/2"x1"	15x25	200	19	8
3/4"x1"	20x25	200	19	8
1-1/4"x3/4"	32x20	100	20.5	9.5
1-1/4"x1"	32x25	100	20.5	9.5
1-1/2"x1"	40x25	50	22	9
1-1/2"x1-1/4"	40x32	50	22	9
2"x1-1/4"	50x32	50	26	9
2"x1-1/2"	50x40	50	26	9
2-1/2"x1-1/2"	65x40	20	27	8
2-1/2"x2"	65x50	20	27	8
3"x2"	80x50	15	33	11
3"x2-1/2"	80x65	15	33	11
4"x2-1/2"	100x65	10	36	12
4"x3"	100x80	10	36	12